



## TAX REBATE CERTIFICATE

The Residential Energy Efficient Property Credit, located in section 25D of the Internal Revenue Code, provides tax incentives to encourage the use of geothermal heat pumps.

For qualifying geothermal installations completed between Jan. 1, 2008 and Dec. 31, 2008, eligible homeowners can obtain a tax credit of 30% of the total investment up to a maximum credit of \$2,000.

For qualifying geothermal installations completed between Jan. 1, 2009 and Dec. 31, 2016, eligible homeowners can obtain a tax credit of 30% of the total investment with no maximum limit.

Consult the ClimateMaster Residential Tax Incentive Guide or your tax advisor for further information. IRS Form 5695 (2008) can be used to file for the 2008 credit. IRS Form 5695 (2009) has not been published yet.

To be eligible for the credit, residential geothermal heat pumps must meet or exceed Energy Star requirements. Please have your installing contractor complete the information below, and keep this certificate for your records. Also keep receipts documenting the total installation price.

### INSTALLING CONTRACTOR INFORMATION

\_\_\_\_\_  
Name

\_\_\_\_\_  
Address

\_\_\_\_\_  
City

\_\_\_\_\_  
State

\_\_\_\_\_  
Zip

\_\_\_\_\_  
Installation Date

### SYSTEM PURCHASED

Geothermal Closed Loop System  
14.1 EER and 3.3 COP or greater\*

\_\_\_\_\_  
Model No.

Geothermal Open Loop System  
16.2 EER and 3.6 COP or greater\*

\_\_\_\_\_  
Model No.

\_\_\_\_\_  
ARI Reference No.

\*Consult efficiencies, ARI reference and EnergyStar compliance by model number, starting on page 2. EER & COP ratings are for models with hot water generator installed.

**ClimateMaster ARI/ISO/ASHRAE/ANSI 13256-1 Performance Ratings**

ARI Ref.#	Model # <sup>1</sup>	Open Loop <sup>2</sup>			Closed Loop <sup>2</sup>		
		EER	COP	EnergyStar Rated	EER	COP	EnergyStar Rated
172266	GSH015AGC*****	23.90	4.10	Yes	18.50	3.80	Yes
963673	GSH015CGC*****	23.90	4.10	Yes	18.50	3.80	Yes
172268	GSH018AGC*****	22.70	4.10	Yes	16.70	3.60	Yes
963684	GSH018CGC*****	22.70	4.10	Yes	16.70	3.60	Yes
173225	GSH024AGC*****	21.20	4.00	Yes	17.10	3.60	Yes
173226	GSH024AGE*****	21.30	4.00	Yes	17.50	3.80	Yes
173227	GSH030AGC*****	21.40	4.00	Yes	16.90	3.60	Yes
173228	GSH030AGE*****	21.50	4.10	Yes	17.50	3.70	Yes
173230	GSH036AGC*****	20.70	4.00	Yes	16.40	3.40	Yes
173231	GSH036AGE*****	20.80	4.10	Yes	17.20	3.50	Yes
173233	GSH042AGC*****	20.30	4.00	Yes	16.00	3.70	Yes
173234	GSH042AGE*****	20.40	4.10	Yes	16.70	3.80	Yes
173236	GSH048AGC*****	19.90	4.00	Yes	16.40	3.70	Yes
173237	GSH048AGE*****	20.10	4.10	Yes	17.30	3.80	Yes
173239	GSH060AGC*****	17.70	3.80	Yes	14.60	3.60	Yes
173240	GSH060AGE*****	17.80	3.90	Yes	15.60	3.70	Yes
173242	GSH070AGC*****	16.80	3.80	Yes	13.40	3.60	Yes
173243	GSH070AGE*****	17.10	3.80	Yes	14.60	3.70	Yes
173245	GSS018*****	22.10	4.00	Yes	16.20	3.50	Yes
179766	GSS024*****	20.60	3.90	Yes	16.60	3.50	Yes
179767	GSS030*****	20.80	3.90	Yes	16.40	3.50	Yes
179768	GSS036*****	20.10	3.90	Yes	15.90	3.30	Yes
179769	GSS042*****	19.70	3.90	Yes	15.50	3.60	Yes
179770	GSS048*****	19.30	3.90	Yes	15.90	3.60	Yes
179771	GSS060*****	17.20	3.70	Yes	14.20	3.50	Yes
172266	GSV015AGC*****	23.90	4.10	Yes	18.50	3.80	Yes
963673	GSV015CGC*****	23.90	4.10	Yes	18.50	3.80	Yes
172268	GSV018AGC*****	22.70	4.10	Yes	16.70	3.60	Yes
963684	GSV018CGC*****	22.70	4.10	Yes	16.70	3.60	Yes
173225	GSV024AGC*****	21.20	4.00	Yes	17.10	3.60	Yes
173226	GSV024AGE*****	21.30	4.00	Yes	17.50	3.80	Yes
173227	GSV030AGC*****	21.40	4.00	Yes	16.90	3.60	Yes
173228	GSV030AGE*****	21.50	4.10	Yes	17.50	3.70	Yes
173230	GSV036AGC*****	20.70	4.00	Yes	16.40	3.40	Yes
173231	GSV036AGE*****	20.80	4.10	Yes	17.20	3.50	Yes
173233	GSV042AGC*****	20.30	4.00	Yes	16.00	3.70	Yes
173234	GSV042AGE*****	20.40	4.10	Yes	16.70	3.80	Yes
173236	GSV048AGC*****	19.90	4.00	Yes	16.40	3.70	Yes
173237	GSV048AGE*****	20.10	4.10	Yes	17.30	3.80	Yes
173239	GSV060AGC*****	17.70	3.80	Yes	14.60	3.60	Yes
173240	GSV060AGE*****	17.80	3.90	Yes	15.60	3.70	Yes
173242	GSV070AGC*****	16.80	3.80	Yes	13.40	3.60	<b>No</b>
173243	GSV070AGE*****	17.10	3.80	Yes	14.60	3.70	Yes
179772	PDW18*****	22.10	4.00	Yes	16.15	3.50	Yes
179773	PDW24*****	20.60	3.90	Yes	16.60	3.50	Yes
179774	PDW30*****	20.80	3.90	Yes	16.40	3.50	Yes
179775	PDW36*****	20.10	3.90	Yes	15.90	3.30	Yes
179776	PDW42*****	19.70	3.90	Yes	15.50	3.60	Yes
179777	PDW48*****	19.30	3.90	Yes	15.90	3.60	Yes

**ClimateMaster ARI/ISO/ASHRAE/ANSI 13256-1 Performance Ratings**

ARI Ref.#	Model # <sup>1</sup>	Open Loop <sup>2</sup>			Closed Loop <sup>2</sup>		
		EER	COP	EnergyStar Rated	EER	COP	EnergyStar Rated
179778	PDW60*****	17.20	3.70	Yes	14.20	3.50	Yes
550368	TSD018AG*0***DS	26.70	4.60	Yes	19.00	3.70	Yes
550378	TSD018AG*0***NS	28.10	4.90	Yes	19.80	4.00	Yes
550376	TSD024AG*0***DS	25.70	4.30	Yes	19.10	3.70	Yes
550367	TSD024AG*0***NS	27.40	4.60	Yes	20.00	3.80	Yes
550365	TSD030AG*0***DS	22.90	4.40	Yes	17.60	3.80	Yes
550384	TSD030AG*0***NS	23.90	4.60	Yes	18.00	3.90	Yes
550370	TSD036AG*0***DS	25.10	4.80	Yes	19.20	3.90	Yes
550383	TSD036AG*0***NS	26.50	5.10	Yes	20.20	4.20	Yes
550377	TSD042AG*0***DS	24.30	4.60	Yes	18.40	3.80	Yes
550386	TSD042AG*0***NS	27.10	4.90	Yes	20.00	4.00	Yes
550364	TSD048AG*0***DS	23.30	4.40	Yes	17.60	3.70	Yes
550382	TSD048AG*0***NS	24.60	4.50	Yes	18.50	3.80	Yes
550361	TSD060AG*0***DS	23.20	4.50	Yes	18.20	3.70	Yes
550385	TSD060AG*0***NS	24.30	4.60	Yes	19.00	3.80	Yes
550352	TSD070AG*0***DS	21.60	4.30	Yes	16.60	3.60	Yes
550381	TSD070AG*0***NS	23.50	4.40	Yes	17.80	3.60	Yes
550368	TSH018AG*0***BS	26.70	4.60	Yes	19.00	3.70	Yes
550378	TSH018AG*0***PS	28.10	4.90	Yes	19.80	4.00	Yes
550368	TSH018AG*0***SS	26.70	4.60	Yes	19.00	3.70	Yes
550378	TSH018AG*0***WS	28.10	4.90	Yes	19.80	4.00	Yes
550376	TSH024AG*0***BS	25.70	4.30	Yes	19.10	3.70	Yes
550367	TSH024AG*0***PS	27.40	4.60	Yes	20.00	3.80	Yes
550376	TSH024AG*0***SS	25.70	4.30	Yes	19.10	3.70	Yes
550367	TSH024AG*0***WS	27.40	4.60	Yes	20.00	3.80	Yes
550365	TSH030AG*0***BS	22.90	4.40	Yes	17.60	3.80	Yes
550384	TSH030AG*0***PS	23.90	4.60	Yes	18.00	3.90	Yes
550365	TSH030AG*0***SS	22.90	4.40	Yes	17.60	3.80	Yes
550384	TSH030AG*0***WS	23.90	4.60	Yes	18.00	3.90	Yes
550370	TSH036AG*0***BS	25.10	4.80	Yes	19.20	3.90	Yes
550383	TSH036AG*0***PS	26.50	5.10	Yes	20.20	4.20	Yes
550370	TSH036AG*0***SS	25.10	4.80	Yes	19.20	3.90	Yes
550383	TSH036AG*0***WS	26.50	5.10	Yes	20.20	4.20	Yes
550377	TSH042AG*0***BS	24.30	4.60	Yes	18.40	3.80	Yes
550386	TSH042AG*0***PS	27.10	4.90	Yes	20.00	4.00	Yes
550377	TSH042AG*0***SS	24.30	4.60	Yes	18.40	3.80	Yes
550386	TSH042AG*0***WS	27.10	4.90	Yes	20.00	4.00	Yes
550364	TSH048AG*0***BS	23.30	4.40	Yes	17.60	3.70	Yes
550382	TSH048AG*0***PS	24.60	4.50	Yes	18.50	3.80	Yes
550364	TSH048AG*0***SS	23.30	4.40	Yes	17.60	3.70	Yes
550382	TSH048AG*0***WS	24.60	4.50	Yes	18.50	3.80	Yes
550361	TSH060AG*0***BS	23.20	4.50	Yes	18.20	3.70	Yes
550385	TSH060AG*0***PS	24.30	4.60	Yes	19.00	3.80	Yes
550361	TSH060AG*0***SS	23.20	4.50	Yes	18.20	3.70	Yes
550385	TSH060AG*0***WS	24.30	4.60	Yes	19.00	3.80	Yes
550352	TSH070AG*0***BS	21.60	4.30	Yes	16.60	3.60	Yes
550381	TSH070AG*0***PS	23.50	4.40	Yes	17.80	3.60	Yes
550352	TSH070AG*0***SS	21.60	4.30	Yes	16.60	3.60	Yes
550381	TSH070AG*0***WS	23.50	4.40	Yes	17.80	3.60	Yes

**ClimateMaster ARI/ISO/ASHRAE/ANSI 13256-1 Performance Ratings**

ARI Ref.#	Model # <sup>1</sup>	Open Loop <sup>2</sup>			Closed Loop <sup>2</sup>		
		EER	COP	EnergyStar Rated	EER	COP	EnergyStar Rated
550378	TSV018AG*0***KS	28.10	4.90	Yes	19.80	4.00	Yes
550368	TSV018AG*0***TS	26.70	4.60	Yes	19.00	3.70	Yes
550367	TSV024AG*0***KS	27.40	4.60	Yes	20.00	3.80	Yes
550376	TSV024AG*0***TS	25.70	4.30	Yes	19.10	3.70	Yes
550384	TSV030AG*0***KS	23.90	4.60	Yes	18.00	3.90	Yes
550365	TSV030AG*0***TS	22.90	4.40	Yes	17.60	3.80	Yes
550383	TSV036AG*0***KS	26.50	5.10	Yes	20.20	4.20	Yes
550370	TSV036AG*0***TS	25.10	4.80	Yes	19.20	3.90	Yes
550386	TSV042AG*0***KS	27.10	4.90	Yes	20.00	4.00	Yes
550377	TSV042AG*0***TS	24.30	4.60	Yes	18.40	3.80	Yes
550382	TSV048AG*0***KS	24.60	4.50	Yes	18.50	3.80	Yes
550364	TSV048AG*0***TS	23.30	4.40	Yes	17.60	3.70	Yes
550385	TSV060AG*0***KS	24.30	4.60	Yes	19.00	3.80	Yes
550361	TSV060AG*0***TS	23.20	4.50	Yes	18.20	3.70	Yes
550381	TSV070AG*0***KS	23.50	4.40	Yes	17.80	3.60	Yes
550352	TSV070AG*0***TS	21.60	4.30	Yes	16.60	3.60	Yes
521334	TTD026*****	24.50	4.80	Yes	18.50	4.00	Yes
490266	TTD038*****	23.00	4.70	Yes	18.20	4.00	Yes
490267	TTD049*****	22.50	4.70	Yes	17.90	4.00	Yes
490265	TTD064*****	22.00	4.40	Yes	17.50	3.90	Yes
521334	TTH026*****	24.50	4.80	Yes	18.50	4.00	Yes
490266	TTH038*****	23.00	4.70	Yes	18.20	4.00	Yes
490267	TTH049*****	22.50	4.70	Yes	17.90	4.00	Yes
490265	TTH064*****	22.00	4.40	Yes	17.50	3.90	Yes
963564	TTS026*****	23.20	4.70	Yes	18.00	3.90	Yes
963565	TTS038*****	21.40	4.50	Yes	16.70	3.80	Yes
963566	TTS049*****	20.90	4.60	Yes	16.60	4.00	Yes
963567	TTS064*****	19.20	4.30	Yes	15.30	3.60	Yes
521334	TTV026*****	24.50	4.80	Yes	18.50	4.00	Yes
490266	TTV038*****	23.00	4.70	Yes	18.20	4.00	Yes
490267	TTV049*****	22.50	4.70	Yes	17.90	4.00	Yes
490265	TTV064*****	22.00	4.40	Yes	17.50	3.90	Yes
1408614	TTV072*****	19.90	4.30	Yes	16.20	3.60	Yes

**NOTES:**

1. Pertinent model number digits are shown. The \* symbol indicates this digit does not affect the efficiency or ARI reference #.
  2. Open loop is also called well water or ground water. Closed loop is also called geothermal, ground loop, or ground source.
- be changed without notice and may not be as described herein. Statements and other information contained herein are not express